Index to Volume 28

Author Index

ALLEN, GERALD R.:
A review of the labrid genus *Paracheilinus*, with the description of a new species from Melanesia, 449–455

ARVIK, JON H., and DAN L. WILLSON:
Soil algae of Eniwetok Atoll, the Marshall Islands, 189–190

BANNER, ALBERT H., and DORA M. BANNER:
Contributions to the knowledge of the alpheid shrimp of the Pacific Ocean. Part XVII. Additional notes on the Hawaiian alpheids: new species, subspecies, and some nomenclatorial changes, 423–437

BANNER, DORA M.:
see Banner and Banner

BRADFORD, JANET M.:
Euchaeta marina (Prestandrea) (Copepoda, Calanoida) and two closely related new species from the Pacific, 159–169

BURGESS, WARREN E.:
Evidence for the elevation to family status of the angelfishes (Pomacanthidae), previously considered to be a subfamily of the butterflyfish family, Chaetodontidae, 57–71

CASSIE, VIVIENNE:
Algal flora of some North Island, New Zealand lakes, including Rotorua and Rotoiti, 467–505

CHAVE, E. H., and D. B. ECKERT:
Ecological aspects of the distributions of fishes at Fanning Island, 297–317

COHEN, DANIEL M.:
The ophidioid fish genus *Luciobrotula* in the Hawaiian Islands, 109–110

COLES, STEPHEN L.:
see Jokiel and Coles

COLLETTE, BRUCE B.:
Geographic variation in the central Pacific halfbeak *Hyporhamphus acutus* (Günther), 111–122

DUNN, DAPHNE FAUTIN:
Actiniogeton sesere (Coelenterata, Actiniaria) in Hawaii, 181–188
Radianthus papillosa (Coelenterata, Actiniaria) redescribed from Hawaii, 171–179
Redescription of *Anthopleura nigrescens* (Coelenterata, Actiniaria) from Hawaii, 377–382

EDGERLEY, W. H. L.:
see Glasby and Edgerley

EGLOFF, J.:
see Johnson, Egloff, and Hemler

FELL, F. JULIAN:
The echinoids of Easter Island (Rapa Nui), 147–158

FIELD, LAURENCE H.:
A description and experimental analysis of Batesian mimicry between a marine gastropod and an amphipod, 439–447

FOSTER, B. A.:
The barnacles of Fiji, with observations on the ecology of barnacles on tropical shores, 35–56

GLASBY, G. P., and W. H. L. EDGERLEY:
Geochemistry of lake waters from the South Island, New Zealand, 507–515

GLYNN, CARMEN S.:
see Glyn and Glynn

GLYNN, PETER W., and CARMEN S. GLYNN:
On the systematics of *Ancinus* (Isopoda, Sphaeromatidae), with the description of a new species from the tropical eastern Pacific, 401–422

GUINTHER, ERIC B.:
Groundwater and nearshore hyposaline conditions at Fanning Island during a period of higher than normal rainfall, 319–337

HEMLER, L. G.:
see Johnson, Egloff, and Hemler

HUMES, ARTHUR G.:
Cyclopoid copepods associated with the coral genera *Favia*, *Favites*, *Platygyra*, and *Merulina* in New Caledonia, 383–399

JOHNSON, G. L., J. EGLOFF, and L. G. HEMLER:
Geophysical observations between Hawaii and Australia, 191–205

JOKIEL, PAUL L., and STEPHEN L. COLES:
Effects of heated effluent on hermatypic corals at Kahe Point, Oahu, 1–18
see also Jokiel and Townsley

JOKIEL, PAUL L., and SIDNEY J. TOWNSLEY:
Biology of the polyclad *Prosthiostomum* (*Prosthiostomum*) sp., a new coral parasite from Hawaii, 361–373
see also Jokiel and Coles

KAY, E. ALISON:
Fanning Island: editor's note, 207–210
see also Kay and Switzer

KAY, E. ALISON and MARILYN F. SWITZER:
Molluscan distribution patterns in Fanning Island Lagoon and a comparison of the mollusks of the lagoon and the seaward reefs, 275–295
see also Kay, E. Alison

KAY, JOHN C.:
see RANDALL and KAY

MARAGOS, J. E.:
Coral communities on a seaward reef slope, Fanning Island, 257–273
Reef corals of Fanning Island, 247–255
MARGOLIS, S. V.:
see Williams and Margolis
V. MEJSTŘÍK:
The frequency of vesicular-arbuscular mycorrhizae in the roots of *Camellia japonica* L. from different sites in New Zealand, 73–77
MEYERS, GARY A.:
see Stroup and Meyers
MORTON, BRIAN:
Some aspects of the biology, population dynamics, and functional morphology of *Musculista senhausia* Benson (Bivalvia, Mytilidae), 19–33

PESRET, F.:
see Smith and Pesret

RANDALL, JOHN E., and JOHN C. KAY:
Stethojulis axillaris, a junior synonym of the Hawaiian labrid fish *Stethojulis balteata*, with a key to the species of the genus, 101–107

ST. JOHN, HAROLD:
A new *Ervatamia* (Apocynaceae) from Makatea Island, Tuamotu Archipelago. Pacific Plant Studies 23, 436–465
Revision of the genus *Pandanus* Stickman. Part 36, The new section *Asperi* from Indomalaya, 79–82
Revision of the genus *Pandanus* Stickman. Part 37, *Pandanus* on Aldabra Island, Indian Ocean, 83–100
Skottsbergiliana new genus (Cucurbitaceae) of Hawaii Island. Hawaiian plant studies 41, 457–462.
The vascular flora of Fanning Island, Line Islands, Pacific Ocean, 339–355
SASSAMAN, CLAY:
Capacity for development of secondary manubria in *Eutonina indicans* medusae (Hydrozoa), 375–376
SMITH, S. V., and F. PESRET:
Processes of carbon dioxide flux in the Fanning Island Lagoon, 225–245
STROUP, EDWARD D., and GARY A. MEYERS:
The flood-tide jet in Fanning Island Lagoon, 211–223

TOWNSLEY, SIDNEY J.:
see Jokiel and Townsley

WILLIAMS, J. A., and S. V. MARGOLIS:
Sipunculid burrows in coral reefs: evidence for chemical and mechanical excavation, 357–359
WILLSON, DAN L.:
see Arvik and Willson

YAMAGUCHI, MASASHI:
Effect of elevated temperature on the metabolic activity of the coral reef asteroid *Acanthaster planci* (L.), 139–146
Growth of juvenile *Acanthaster planci* (L.) in the laboratory, 123–138

Subject Index*

Acanthaster planci (L.)
effect of elevated temperature on the metabolic activity of, 139–146
growth of juvenile, in the laboratory, 123–138
Aldabra Island
revision of the genus *Pandanus* Stickman. Part 37, *Pandanus* on, Indian Ocean, 83–100
Algae
of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505
soil, of Eniwetok Atoll, the Marshall Islands, 189–190
Alpheus beeia sp. nov., 423–437
Alpheus lobidens polynesica subsp. nov., 423–437
Alpheus mackayi nov. comb., 423–437
Amphineura
molluscan distribution patterns in Fanning Island Lagoon and a comparison of the mollusks of the lagoon and the seaward reefs, 275–295
Ancinus panamensis n. sp., 401–422
Angelfishes, evidence for the elevation to family status of the, 57–71
Angiospermae
frequency of vesicular-arbuscular mycorrhizae in the roots of *Camellia japonica* L. from different sites in New Zealand, 73–77
a new *Ervatamia* (Apocynaceae) from Makatea Island, Tuamotu Archipelago. Pacific plant studies 23, 463–465
revision of the genus *Pandanus* Stickman. Part 36, the new section *Asperi* from Indomalaya, 79–82
revision of the genus *Pandanus* Stickman. Part 37, *Pandanus* on Aldabra Island, Indian Ocean, 83–100
Skottsbergiliana new genus (Cucurbitaceae) of Hawaii Island. Hawaiian plant studies 41, 457–462
vascular flora of Fanning Island, Line Islands, Pacific Island, 339–355
Anthozoa
Actinogeton sessere in Hawaii, 181–188
biology of the polyclad *Prosthiostomum* (*Prosthiostomum*) sp., a new coral parasite from Hawaii, 361–373
coral communities on a seaward reef slope, Fanning Island, 257–273

* Biological organisms are indexed under their respective classes.

Anthozoa (*cont.*)
cylcopoid copepods associated with the coral genera *Favia*, *Favites*, *Platygyra*, and *Merulina* in New Caledonia, 383–399
effects of heated effluent on hermatypic corals at Kahe Point, Oahu, 1–18
Radianthus papillosa redescribed from Hawaii, 171–179
redescription of *Anthopleura nigrescens* from Hawaii, 377–382
reef corals of Fanning Island, 247–255
sipunculid burrows in coral reefs: evidence for chemical and mechanical excavation, 357–359
Asperi sect. nov., 79–82
Asteroidea
effect of elevated temperature on the metabolic activity of the coral reef asteroid *Acanthaster planci* (L.), 139–136
growth of juvenile *Acanthaster planci* (L.) in the laboratory, 123–138
Australia
geophysical observations between Hawaii and Australia, 191–205

Bacillariophyceae
algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505
Barnacles, ecology of, on tropical shores, 35–56
Batesian mimicry, a description and experimental analysis of, between a marine gastropod and an amphipod, 439–447
Bivalvia
molluscan distribution patterns in Fanning Island Lagoon and a comparison of the mollusks of the lagoon and the seaward reefs, 275–295
some aspects of the biology, population, dynamics, and functional morphology of *Musculista senhausia* Benson (Bivalvia, Mytilidae), 19–33

Camellia japonica, frequency of vesicular-arbuscular mycorrhizae in roots of, 73–77
Chlorophyceae
algal flora of some North Island, New Zealand, lakes, including Roturua and Rotoiti, 467–505
Chrysophyceae
algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505
soil algae of Eniwetok Atoll, the Marshall Islands, 189–190
Contributions to the knowledge of the alpheid shrimp of the Pacific Ocean
XVII. Additional notes on the Hawaiian alpheids: new species, subspecies, and some nomenclatorial changes, 423–437
Coral reefs, sipunculid burrows in, 357–359
Corals
hermatypic, effects of heated effluent on, 1–18
reef, of Fanning Island, 247–255
Crustacea
barnacles of Fiji, with observations on the ecology of barnacles on tropical shores, 35–56
Contributions to the knowledge of the alpheid shrimp of the Pacific Ocean. Part XVII. Additional notes on the Hawaiian alpheids: new species, subspecies, and some nomenclatorial changes, 423–437
cyclopoid copepods associated with the coral genera *Favia*, *Favites*, *Platygyra*, and *Merulina* in New Caledonia, 383–399
a description and experimental analysis of Batesian mimicry between a marine gastropod and an amphipod, 439–447
Euchaeta marina (Prestandrea) (Copepoda, Calanoida) and two closely related new species from the Pacific, 159–169
on the systematics of *Ancinus* (Isopoda, Sphaeromatidae), with the description of a new species from the tropical eastern Pacific, 401–422
Cryptophyceae
algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505

Dinophyceae
algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505

Easter Island
echinoids of, 147–158
Echinoidea
echinoids of Easter Island (Rapa Nui), 147–158
Eniwetok Atoll
soil algae of, 189–190
Ervatamia makateaensis sp. nov., 463–465
Euchaeta marinella sp. n., 159–169
Euchaeta rimana sp. n., 159–169
Euglenophyceae
algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505
Eutonina indicans, capacity for development of secondary manubria in medusae of, 375–376

Fanning Island
coral communities on a seaward reef slope at, 257–273
ecological aspects of the distributions of fishes at, 297–317
editor's note, 207–210
flood-tide jet in lagoon at, 211–223
groundwater and nearshore hyposaline conditions at, during a period of higher than normal rainfall, 319–337
molluscan distribution patterns in lagoon and a comparison of the mollusks of the lagoon and the seaward reefs at, 275–295
processes of carbon dioxide flux in the lagoon at, 225–245
reef corals of, 247–255
vascular flora of, 339–355
Fiji
barnacles of, with observations on the ecology of barnacles on tropical shores, 35–56

Gastropoda
a description and experimental analysis of Batesian mimicry between a marine gastropod and an amphipod, 439–447
molluscan distribution patterns in Fanning Island Lagoon and a comparison of the mollusks of the lagoon and the seaward reefs, 275–295

Hawaiian Islands
Actiniogeton sesere (Coelenterata, Actiniaria) in, 181–188
biology of the polyclad *Prosthiostomum* (*Prosthiostomum*) sp., a new coral parasite from, 361–373
effects of heated effluent on hermatypic corals at Kahe Point, Oahu, 1–18
geophysical observations between Hawaii and Australia, 191–205
the ophidioid fish genus *Luciobrotula* in, 109–110
Radianthus papillosa (Coelenterata, Actiniaria) redescribed from, 171–179
redescription of *Anthopleura nigrescens* (Coelenterata, Actiniaria) from, 377–382
Skottsbergiliana new genus (Cucurbitaceae) of Hawaii Island. Hawaiian plant studies 41, 457–462
Stethojulis axillaris, a junior synonym of the Hawaiian labrid fish *Stethojulis balteata*, with a key to the species of the genus, 101–107
Hawaiian plant studies
41. *Skottsbergiliana* new genus (Cucurbitaceae) of Hawaii Island, 457–462
Hong Kong
some aspects of the biology, population dynamics, and functional morphology of *Musculista senhausia* Benson (Bivalvia, Mytilidae), 19–33
Hydrozoa
capacity for development of secondary manubria in *Eutonia indicans* medusae, 375–376
Hyporhamphus acutus (Günther), geographic variation in, in the central Pacific, 111–122

Indomalaya
revision of the genus *Pandanus* Stickman. Part 36, the new section of *Asperi* from, 79–82

Key
to the genera of Fijian balanomorphs, 39
to the genus *Luciobrotula*, 109
to sections and species of *Pandanus* on Aldabra Island, Indian Ocean, 83
to the species of *Ancinus*, 417–418
to the species of *Paracheilinus*, 450
to the species of *Skottsbergiliana*, 457
to the species of *Stethojulis*, 102–103

Lamellibranchia. *See* Bivalvia
Leptalpheus pacificus sp. nov., 423–437
Luciobrotula in the Hawaiian Islands, 109–110

Marshall Islands
soil algae of Eniwetok Atoll, 189–190
Musculista senhausia Benson, some aspects of the biology, population dynamics, and functional morphology of, 19–33
Mycorrhizae, vesicular-arbuscular, in roots of *Camellia japonica*, 73–77
Myxophyceae
algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505
soil algae of Eniwetok Atoll, the Marshall Islands, 189–190

New Caledonia
cyclopoid copepods associated with the coral genera, *Favia*, *Favites*, *Platygyra*, and *Merulina* in, 383–399
New combination
Alpheus mackayi (Crustacea), 423–437
Skottsbergiliana lasiocephala (Angiospermae), 457–462
New cultivar
Pandanus tectorius Warb., var. *novi-caledonicus* Martelli, cv. 'Kaina' (Angiospermae), 339–355
New genus
Skottsbergiliana (Angiospermae), 457–462
New Guinea
a review of the labrid genus *Paracheilinus*, with the description of a new species from Melanesia, 449–455
New section
Asperi (Angiospermae), 79–82
New species
Ancinus panamensis (Crustacea), 401–422
Alpheus beeia (Crustacea), 423–437
Ervatamia makateaensis (Angiospermae), 463–465
Euchaeta marinella (Crustacea), 159–169
Euchaeta rimana (Crustacea), 159–169
Leptalpheus pacificus (Crustacea), 423–437
Pandanus aldabraensis (Angiospermae), 83–100
Pandanus alloios (Angiospermae), 83–100
Pandanus asper (Angiospermae), 79–82
Pandanus chelyon (Angiospermae), 83–100
Pandanus fanningensis (Angiospermae), 339–355
Pandanus impar (Angiospermae), 83–100
Pandanus intraconicus (Angiospermae), 83–100
Pandanus subcubicus (Angiospermae), 83–100
Paracheilinus filamentosus (Pisces), 449–455
Skottsbergiliana partita (Angiospermae), 457–462
New subspecies
Alpheus lobidens polynesica (Crustacea), 423–437
New Zealand
algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505
frequency of vesicular-arbuscular mycorrhizae in the roots of *Camellia japonica* L. from different sites in, 73–77
geochemistry of lake waters from the South Island, 507–515

Pacific plant studies
23. a new *Ervatamia* (Apocynaceae) from Makatea Island, Tuamotu Archipelago, 463–465
Pandanus aldabraensis sp. nov., 83–100
Pandanus alloios sp. nov., 83–100
Pandanus asper sp. nov., 79–82
Pandanus chelyon sp. nov., 83–100

Pandanus fanningensis sp. nov., 339–355
Pandanus impar sp. nov., 83–100
Pandanus intraconicus sp. nov., 83–100
Pandanus subcubicus sp. nov., 83–100
Pandanus tectorius Warb., var. *novi-caledonicus* Martelli, cv. 'Kaina,' cultivar nov., 339–355
Paracheilinus filamentosus n. sp., 449–455
Phycomycetes
  frequency of vesicular-arbuscular mycorrhizae in the roots of *Camellia japonica* L. from different sites in New Zealand, 73–77
Pisces
  geographic variation in the central Pacific halfbeak *Hyporhamphus acutus* (Günther), 111–122
  ophidioid fish genus *Luciobrotula* in the Hawaiian Islands, 109–110
  a review of the labrid genus *Paracheilinus*, with the description of a new species from Melanesia, 449–455
  ecological aspects of the distributions of fishes at Fanning Island, 297–317
  evidence for the elevation to family status of the angelfishes (Pomacanthidae), previously considered to be a subfamily of the butterflyfish family, Chaetodontidae, 57–71
  Stethojulis axillaris, a junior synonym of the Hawaiian labrid fish *Stethojulis balteata*, with a key to the species of the genus, 101–107
Pomacanthidae, evidence for the elevation to family status of the, 57–71

Revision of the genus *Pandanus* Stickman
  36. the new section *Asperi* from Indomalaya, 79–82
  37. *Pandanus* on Aldabra Island, Indian Ocean, 83–100

Sipuncula
  sipunculid burrows in coral reefs: evidence for chemical and mechanical excavation, 357–359
Skottsbergiliana gen. nov., 457–462
Skottsbergiliana lasiocephala comb. nov., 457–462
Skottsbergiliana partita sp. nov., 457–462
Solomon Islands
  a review of the labrid genus *Paracheilinus*, with the description of a new species from Melanesia, 449–455

Tuamotu Archipelago
  a new *Ervatamia* (Apocynaceae) from Makatea Island, 463–465
Turbellaria
  biology of the polyclad *Prosthiostomum* (*Prosthiostomum*) sp., a new coral parasite from Hawaii, 361–373

Xanthophyceae
  algal flora of some North Island, New Zealand, lakes, including Rotorua and Rotoiti, 467–505